



MEETING AGENDA

COMMITTEE: Quality Management Committee

Date/Time: Monday February 22, 2016 at 12:30 p.m. **Location:** Governmental Center Annex, A335

Chair: Claudette Grant

- 1. CALL TO ORDER:** Welcome, Review meeting ground rules, Statement of Sunshine, Introductions, Moment of Silence, Public Comment
- 2. APPROVALS:** 2/22/16 Agenda and 1/25/16 Meeting Minutes
- 3. STANDARD COMMITTEE ITEMS**
Reminder: Meeting Attendance Confirmation Required at least 48 Hours Prior to Meeting Date

4. UNFINISHED BUSINESS

Goal/Work Plan Objective #	Action Items
Quarterly Data Review (WP 1.1)	ACTION ITEM: Review quarterly data; identify at least 3 trends or areas for exploration related to linkage to care, retention in care, or viral load suppression; send recommended areas for exploration to NAE, SOC, PRSA, and QI Networks.
Explore the three target groups for the Needs Assessment Committee (WP 1.1)	ACTION ITEM: Review data specific to target groups requested by the Needs Assessment Committee for non-Hispanic Black females 18-38 years old.

5. MEETING ACTIVITIES/NEW BUSINESS

Goal/Work Plan Objective #	Action Items
Explore the three target groups for the Needs Assessment Committee (WP 1.1)	ACTION ITEM: Review data specific to target groups requested by the Needs Assessment Committee for non-Hispanic Black MSM 18-38 years old.
Review and update Work Plan and Policies & Procedures (WP 2.4)	ACTION ITEM: Review and approve the updated workplan and policies and procedures.
Review and update 3 year Work Plan. (WP 2.5)	ACTION ITEM: Review, Update, and Approve 3-year work plan.

6. GRANTEE REPORTS

7. PUBLIC COMMENT

8. AGENDA ITEMS/TASKS FOR NEXT MEETING

- a. Next Meeting Date: March 21, 2016

Agenda Items/Tasks for next Meeting (Work Plan Item/Goal#)	Information requested (i.e. data, research, etc.)action to be taken, presentation, discussion, brainstorm etc.
Explore the three target groups for the Needs Assessment Committee (WP 1.1)	ACTION ITEM: Review data specific to target groups requested by the Needs Assessment Committee.
Review accomplishments and challenges. (WP 2.3)	ACTION ITEM: Review at least 3 QMC accomplishments and challenges.
Review Performance Measures (WP 1.1)	ACTION ITEM: Identify at least 3 trends or areas for exploration related to linkage to care, retention in care, or viral load suppression
Quarterly Network Update (WP 1.1)	ACTION ITEM: Identify at least 2 areas for improvement and at least 2 potential QIPs.

9. ANNOUNCEMENTS

VISION: To ensure the delivery of high quality comprehensive HIV/AIDS services to low income and uninsured Broward County residents living with HIV, by providing a targeted, coordinated, cost-effective, sustainable, and client-centered system of care

MISSION: We direct and coordinate an effective response to the HIV epidemic in Broward County to ensure high quality, comprehensive care that positively impacts the health of individuals at all stages of illness. In so doing, we: Foster the substantive involvement of the HIV affected communities in assuring consumer satisfaction, identifying priority needs, and planning a responsive system of care
Support local control of planning and service delivery, and build partnerships among service providers, community organizations, and federal, state, and municipal governments
Monitor and report progress within the HIV continuum of care to ensure fiscal responsibility and increase community support and commitment



Fort Lauderdale / Broward County EMA
Broward County HIV Health Services Planning Council
An Advisory Board of the Broward County Board of County Commissioners
200 Oakwood Lane, Suite 100, Hollywood, FL, 33020 - Tel: 954-561-9681 / Fax: 954-561-9685



10. ADJOURNMENT

PLEASE COMPLETE YOUR MEETING EVALUATIONS

THREE GUIDING IDEAS OF THE BROWARD COUNTY HIV HEALTH SERVICES PLANNING COUNCIL

- Linkage to Care • Retention in Care • Viral Load Suppression •

VISION: To ensure the delivery of high quality comprehensive HIV/AIDS services to low income and uninsured Broward County residents living with HIV, by providing a targeted, coordinated, cost-effective, sustainable, and client-centered system of care

MISSION: We direct and coordinate an effective response to the HIV epidemic in Broward County to ensure high quality, comprehensive care that positively impacts the health of individuals at all stages of illness. In so doing, we: Foster the substantive involvement of the HIV affected communities in assuring consumer satisfaction, identifying priority needs, and planning a responsive system of care
Support local control of planning and service delivery, and build partnerships among service providers, community organizations, and federal, state, and municipal governments
Monitor and report progress within the HIV continuum of care to ensure fiscal responsibility and increase community support and commitment



Meeting Minutes

Committee: Quality Management Committee

Date/Time: Monday January 25, 2016 12:30 p.m. **Location:** Governmental Center Annex, A335

Chair: Claudette Grant

Attendance						
#	Members	Present	Absent		Guests	Grantee Staff
1	Grant, C.	X			Burgess, D.	Degraffenreidt, S.
2	Katz, H. B.	X			Roberts, P.	Card, W.
3	Huggins, L.	X			Shamer, D.	Jones, L.
4	Runkle, D.	X			Beltran, G.	Morris, R.
7	Earp, A.		A		Dennis, B.	Walker, N.
5	Lewis, L.	X				Support Staff
6	Soto, T.	X				Holloman, K
7	DeHoyos, F.	X				Jackson, M.
	Quorum = 5	7				Newton, A.

1. CALL TO ORDER:

The Chair called the meeting to order at 12:31 p.m. and welcomed all present. The Chair and Clinical Quality Management (CQM) Support Staff welcomed guests. Attendees were notified of information regarding the Sunshine Law and meeting reporting requirements, which includes the recording of minutes. Attendees were advised that the meeting ground rules are present, for reference. In addition, attendees were advised that the acknowledgement of HIV status is not required but is subject to public record if it is disclosed. Chairs, Committee members, guests, Grantee staff and support staff self-introductions were made. A moment of silence was observed.

2. APPROVALS:

Motion #1 To approve today's meeting agenda
Proposed by: Runkle, D Seconded by: Katz, H.B.
Action: Passed Unanimously

Motion #2 To approve 11/16/15 meeting minutes
Proposed by: Runkle, D. Seconded by: Lewis, L.
Action: Passed Unanimously

3. STANDARD COMMITTEE ITEMS

- a. Request for Information/Directives
- b. Reminder: Meeting Attendance Confirmation Required at least 48 Hours Prior to Meeting Date
- c. Next Meeting Date: February 22, 2016

4. UNFINISHED BUSINESS:

Goal/Work Plan Objective #:	Action Items
Explore the three target groups for the Needs Assessment Committee (WP 1.1)(Handout A)	The Chair reminded the Committee that they identified 3 target populations at a previous meeting, and this Committee would focus on Black females first followed by Non-Hispanic Black MSM 18-



38, and Non-Hispanic Black heterosexual males 18-38. The CQM staff presented the “Drilling Down Data: Black Females” that the Needs Assessment Committee (NAE) requested. The Drilling Down Data presentation includes 329 Black female clients (131 unsuppressed, 198 suppressed) 18-28 year olds for FY 14 with data on retention in care, core & support service utilization, medication adherence, co-morbidities, length of diagnosis, length of time in care, insurance status, and birth place/Country of origin. Throughout the presentation, CQM staff reminded the Committee that definitions, and any exclusions are located at the bottom of each slide. The Grantee Representative noted that this data presentation only represents clients in the Part A Provide Enterprise (P.E.) system, it does not represent Broward County as a whole.

One Committee member asked if QMC would ever consider focusing on the older adult female population, however CQM staff stated that younger females had poorer health outcomes based on previous data analysis.

The purpose of this presentation was to determine what suppressed clients were doing and what services they utilized in comparison to unsuppressed clients. However, the Committee noted that throughout the majority of the presentation, the data did not depict much difference between suppressed and unsuppressed clients. The Grantee Representative stated that the unknown in the data presentation is clients who are eligible for certain services but are not utilizing those services. If this data were made available, the Committee could look into why unsuppressed clients who are eligible for certain services are not utilizing those services.

The Grantee Representative stated that her recommendation would be to send a summary profile of heterosexual black females to PSRA and NAE (risk factors, housing status, etc. from the presentation that was presented today). This Committee will dig further into service category utilization in order to address the needed services, and the opportunities in each service category.

CQM Staff asked the Committee members if they had any qualitative recommendations to send to PSRA and NAE that the data presentation did not portray. One member stated that it is important to highlight the fact that in the quantitative data, the committee didn’t see much difference between suppressed and unsuppressed clients, but the Committee is limited in people’s perceptions around taking ARV in both a sensitive and quantitative way. The member also stated he was also interested in getting more information about barriers to care, trauma exposure, and client’s geographic proximity to the services in Ft. Lauderdale. Another member stated that it is very difficult to refer to mental health services, and there are only two psychiatrists that take Ryan White in Broward County. The



	referral process is tedious, and providers need to address minorities' needs when speaking about mental health and substance abuse issues. The Grantee noted the importance of providing mental health and substance abuse services in a culturally sensitive way. The Chair stated that this Committee will focus on the other two identified target populations before monitoring any FY 15 data. <u>Next Meeting:</u> -Summary profile of Black Heterosexual Females 18-38 years old to be sent to PSRA and NAE. -Eligibility and Core & Support Service Utilization for Black Heterosexual Females 18-38 years old. - Explore non-Hispanic Black MSM 18-38 years old for the Needs Assessment Committee.
--	---

5. MEETING ACTIVITIES/NEW BUSINESS

Goal/Work Plan Objective #:	Action Items
Quarterly Data Review (WP 1.1)(Handout B)	This item was tabled.

6. GRANTEE REPORTS

The Grantee Representative stated that the Grantee's office is about to begin the RFP process, and all of the concerns of the QMC will be taken into account. Get Care Broward is active on Facebook, Twitter, and YouTube. All of the Get Care Broward Social Media sites are constantly updated with new information for clients. If clients have any questions, they are urged to call 954-357-9797.

7. PUBLIC COMMENT

None.

8. AGENDA ITEMS/TASKS FOR NEXT MEETING

Agenda Items/Tasks for next meeting (Work Plan Item/Goal#)	Information requested (i.e. data, research, etc.) action to be taken, presentation, discussion, brainstorm, etc.
Conduct quarterly Network update (WP 3.1)	ACTION ITEM: Identify at least 2 areas for improvement and at least 2 potential QIPs.
Review and update Work Plan and Policies & Procedures (WP 2.4)	ACTION ITEM: Review and approve the updated workplan and policies and procedures.
Review and update 3 year Work Plan. (WP 2.5)	ACTION ITEM: Review, Update, and Approve 3-year work plan.

9. ANNOUNCEMENTS



There is a PrEP meeting at the Sheraton Fort Lauderdale Airport and Cruise Port Hotel on February 5th hosted by the Black AIDS Institute. The event begins at 9 a.m. and breakfast & lunch will be provided.

10. ADJOURNMENT

The meeting was adjourned at 2:10 pm.

Drilling Down Data: Black MSM

Quality Management Committee

2.22.16

Viral Load Data Overview

Definition: Ryan White Part A Clients with High or Not Suppressed Viral Load (> 200 copies/mL) by Subpopulation

Measurement Period: Fiscal Year 2014 (3/1/2014 – 2/28/2015)

Total Clients Served in FY 14: 8,450

Total Viral Loads Reported for Clients Served: 7,164

Viral Loads reported for 85%
of clients served in FY 14

Total Clients with Unsuppressed Viral Loads: 1,254

Limitations: Data includes clients with documented viral loads in Provide Enterprise.

Exclusions: Small population groups excluded and identified on respective charts.

Populations with Lowest Rates of Viral Suppression Identified by QM Committee

1. Non-Hispanic Black Heterosexual Females 18-38
2. Non-Hispanic Black MSM 18-38
3. Non-Hispanic Black Heterosexual Males 18-38

Population Overview

Definition: Non-Hispanic Black MSM 18-38 years old

Measurement Period: Fiscal Year 2014 (3/1/2014 – 2/28/2015)

Total Non-Hispanic Black MSM: 769

Total Non-Hispanic Black MSM 18-38 years old: 370


Viral Suppression Status	#	%
Unsuppressed (<200 copies/mL)	121	32.9%
Suppressed (>200 copies/mL)	247	67.1%
Unknown	2	0.5%
TOTAL	370	100

Data Elements Requested by QMC & NAE Committees

- Retention in care
- Core and support services utilization
- Medication adherence
- Co-morbidities - mental health and substance abuse diagnoses
- Length of diagnosis
- Length of time in care
- Insurance status
- Birth place or county of origin


Demographic Characteristics

Country of Origin for Black MSM 18-38 Years Old



- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None Recorded (1)

Education Level for Black MSM 18-38 Years Old



- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 120
- Total Unduplicated Black MSM with Suppressed Viral Loads = 246
- Exclusions – Unknown (2)


Literacy Level for Black MSM 18-38 Years Old

■ Level 1 - 4th Grade or below

■ Level 2 - 5th to 8th Grade

■ Level 3 - 9th to 12th Grade


■ Level 4 - Above 12th Grade



- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.

Living Arrangement for Black MSM 18-38 Years Old


■ Non-permanently housed ■ Permanently housed ■ Institution



- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.

HIV Care Status and Treatment


HIV Stage for Black MSM 18-38 Years Old



- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.

HIV Therapy for Black MSM 18-38 Years Old


■ Dual ■ HAART ■ None ■ Single ■ Unknown



- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.


Length of Diagnosis for Black MSM 18-38 Years Old

■ 10 Years + ■ 5-10 Years ■ 1-5 Years ■ <1 Year ■ None Recorded



- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.


Primary Insurance Type for Black MSM 18-38 Years Old



- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.

Care Status of Black MSM 18-38 Years Old


■ New to Care < 1 year ■ In Care > 1 year



- New To Care is defined as receiving a Part A service for the first time within one year of the last day of the measurement period.
- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.

Retention in Care of Black MSM 18-38 Years Old


■ Not Retained In Care ■ Retained In Care



- Retention in Care for this report is defined as two documented medical visits in each six month period of the measurement year.
- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 79
- Total Unduplicated Black MSM with Suppressed Viral Loads = 195
- Exclusions – New to Care (94)

Retention in Part A Medical Care of Black MSM 18-38 Years Old

■ Not Retained In Care ■ Retained In Care




- Retention in Care is defined as two documented medical visits in each six month period of the measurement year.
- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 53
- Total Unduplicated Black MSM with Suppressed Viral Loads = 153
- Exclusions – New to Care (94), Clients not utilizing Part A medical (86)

Core and Support Services Utilization


Outpatient Ambulatory Medical Care Utilization for Black MSM 18-38 Years Old

No Yes




- Medical Utilization is defined as having a Part A OAMC service billed and paid for in the measurement period.
- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.

Case Management Utilization for Black MSM 18-38 Years Old




- Case Management Utilization is defined as having a Part A CM service billed and paid for in the measurement period.
- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.

Food Services Utilization for Black MSM 18-38 Years Old



- Food Services Utilization is defined as having a Part A Food service billed and paid for in the measurement period.
- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.


Oral Health Services Utilization for Black MSM 18-38 Years Old



- Oral Health Utilization is defined as having a Part A OHC service billed and paid for in the measurement period.
- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.


Pharmacy Services Utilization for Black MSM 18-38 Years Old

■ No ■ Yes




- Pharmacy Utilization is defined as having a Part A Pharmacy service billed and paid for in the measurement period.
- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.

Mental Health Services Utilization for Black MSM 18-38 Years Old



- Mental Health Utilization is defined as having a Part A MH service billed and paid for in the measurement period.
- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.

Substance Abuse Services Utilization for Black MSM 18-38 Years Old



- Substance Abuse Utilization is defined as having a Part A SA service billed and paid for in the measurement period.
- Total Unduplicated Black MSM with Unsuppressed Viral Loads = 121
- Total Unduplicated Black MSM with Suppressed Viral Loads = 247
- Exclusions – None.

Mental Health Diagnoses for Unsuppressed Black MSM

Primary

- Adjustment Disorder with Anxiety (1)
- Adjustment Disorder with Depressed Mood (1)
- Depressive Disorder NOS (1)
- Major Depressive Disorder Recurrent Moderate (1)
- Polysubstance Dependence (2)

Secondary

- Major Depressive Disorder Recurrent Severe With Psychotic Features- Mood-Congruent Psychotic Features (1)
- Major Depressive Disorder Recurrent Unspecified (1)

Substance Abuse Diagnoses for Unsuppressed Black MSM

Primary

- Cocaine Abuse (1)
- Polysubstance Dependence (3)
- Schizoaffective Disorder (1)

Secondary

- Amphetamine Abuse (1)
- Depressive Disorder NOS (1)
- Major Depressive Disorder Recurrent Severe With Psychotic Features- Mood-Congruent Psychotic Features (1)
- Major Depressive Disorder Recurrent Unspecified (1)

Next Steps

- What does the data tell us?
- How should this information be used by the Planning Council and Committees in its decision making?
- What action might be needed to improve outcomes for Black MSM?

Drilling Down Data: Black Females

Quality Management Committee

1.25.16

Viral Load Data Overview

Definition: Ryan White Part A Clients with High or Not Suppressed Viral Load (> 200 copies/mL) by Subpopulation

Measurement Period: Fiscal Year 2014 (3/1/2014 – 2/28/2015)

Total Clients Served in FY 14: 8,450

Total Viral Loads Reported for Clients Served: 7,164

Viral Loads reported for 85%
of clients served in FY 14

Total Clients with Unsuppressed Viral Loads: 1,254

Limitations: Data includes clients with documented viral loads in Provide Enterprise.

Exclusions: Small population groups excluded and identified on respective charts.

Populations with Lowest Rates of Viral Suppression Identified by QM Committee

1. Non-Hispanic Black Heterosexual Females 18-38
2. Non-Hispanic Black MSM 18-38
3. Non-Hispanic Black Heterosexual Males 18-38

Population Overview

Definition: Non-Hispanic Black Heterosexual Females 18-38 years old

Measurement Period: Fiscal Year 2014 (3/1/2014 – 2/28/2015)

Total Black Females: 329

Total Black Females with Unsuppressed Viral Loads: 131

Total Black Females with Suppressed Viral Loads: 198

➤ 40% of Non-Hispanic Black Female are NOT virally suppressed.


Data Elements Requested by QMC & NAE Committees

- Retention in care
- Core and support services utilization
- Medication adherence
- Co-morbidities - mental health and substance abuse diagnoses
- Length of diagnosis
- Length of time in care
- Insurance status
- Birth place or county of origin

Demographic Characteristics


Country of Origin for Black Females 18-38 Years Old

■ United States of America ■ Haiti ■ Jamaica ■ Bahamas ■ Other



- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.

Education Level for Black Females 18-38 Years Old



- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.


Literacy Level for Black Females 18-38 Years Old

■ Level 1 - 4th Grade or below

■ Level 2 - 5th to 8th Grade

■ Level 3 - 9th to 12th Grade


■ Level 4 - Above 12th Grade



- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.


Living Arrangement for Black Females 18-38 Years Old

■ Non-permanently housed ■ Permanently housed ■ Institution



- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.


Risk Factor for Black Females 18-38 Years Old



- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.


HIV Care Status and Treatment

HIV Stage for Black Females 18-38 Years Old



- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.


HIV Therapy for Black Females 18-38 Years Old



- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.


Length of Diagnosis for Black Females 18-38 Years Old

■ 10 Years + ■ 5-10 Years ■ 1-5 Years ■ <1 Year ■ None Recorded



- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.


Primary Insurance Type for Black Females 18-38 Years Old



- Total Unduplicated Black Females with Unsuppressed Viral Loads = 130
- Total Unduplicated Black Females with Suppressed Viral Loads = 197
- Exclusions – Unknown (n=2)

Care Status of Black Females 18-38 Years Old


■ New to Care < 1 year ■ In Care > 1 year



- New To Care is defined as receiving a Part A service for the first time within one year of the last day of the measurement period.
- Total Unduplicated Black Females with Unsuppressed Viral Loads = 130
- Total Unduplicated Black Females with Suppressed Viral Loads = 196
- Exclusions – Unknown (n=3)

Retention in Care of Black Females 18-38 Years Old


■ Not Retained In Care ■ Retained In Care



- Retention in Care for this report is defined as two documented medical visits in each six month period of the measurement year.
- Total Unduplicated Black Females with Unsuppressed Viral Loads = 107
- Total Unduplicated Black Females with Suppressed Viral Loads = 171
- Exclusions – Unknown (n=3) and New to Care (n=48)

Retention in Part A Medical Care of Black Females 18-38 Years Old

■ Not Retained In Care ■ Retained In Care




- Retention in Care is defined as two documented medical visits in each six month period of the measurement year.
- Total Unduplicated Black Females with Unsuppressed Viral Loads = 45
- Total Unduplicated Black Females with Suppressed Viral Loads = 93
- Exclusions –Clients not utilizing Part A Medical (159), New to Care (30), and Unknown (2)

Core and Support Services Utilization


Outpatient Ambulatory Medical Care Utilization for Black Females 18-38 Years Old

■ No ■ Yes




- Medical Utilization is defined as having a Part A OAMC service billed and paid for in the measurement period.
- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.

Case Management Utilization for Black Females 18-38 Years Old




- Case Management Utilization is defined as having a Part A CM service billed and paid for in the measurement period.
- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.

Food Services Utilization for Black Females 18-38 Years Old




- Food Services Utilization is defined as having a Part A Food service billed and paid for in the measurement period.
- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.

Oral Health Services Utilization for Black Females 18-38 Years Old




- Oral Health Utilization is defined as having a Part A OHC service billed and paid for in the measurement period.
- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.

Pharmacy Services Utilization for Black Females 18-38 Years Old




- Pharmacy Utilization is defined as having a Part A Pharmacy service billed and paid for in the measurement period.
- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.

Mental Health Services Utilization for Black Females 18-38 Years Old



- Mental Health Utilization is defined as having a Part A MH service billed and paid for in the measurement period.
- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.

Substance Abuse Services Utilization for Black Females 18-38 Years Old



- Substance Abuse Utilization is defined as having a Part A SA service billed and paid for in the measurement period.
- Total Unduplicated Black Females with Unsuppressed Viral Loads = 131
- Total Unduplicated Black Females with Suppressed Viral Loads = 198
- Exclusions – None.

Mental Health Diagnoses

Primary

- Adjustment Disorder with Depressed Mood (1)
- Bipolar I Disorder Most Recent Episode Depressed Unspecified (1)
- Major Depressive Disorder Recurrent Moderate (1)

Secondary

- Cocaine Abuse (1)
- Posttraumatic Stress Disorder - Chronic - With Delayed Onset (1)

Substance Abuse Diagnoses

Primary

- Bipolar I Disorder Most Recent Episode Depressed Unspecified (1)
- Polysubstance Dependence (2)
- Schizoaffective Disorder (1)

Secondary

- Cannabis Dependence (1)
- Cocaine Abuse (1)
- Major Depressive Disorder Recurrent Moderate (1)
- Schizophrenia Paranoid Type (1)

Next Steps

- What does the data tell us?
- How should this information be used by the Planning Council and Committees in its decision making?
- What action might be needed to improve outcomes for Black Females?

HHS Outcomes

HIV Positivity

of HIV + tests in the 12 month measurement period

of HIV tests in the 12 month measurement period

Retention in HIV Medical Care

of PLWH who had at least 1 HIV medical care visit in each 6 month period of the 24 measurement period

of PLWH with at least 1 HIV medical care visit in the first 6 months of the 24 measurement period

Late HIV Diagnosis

of persons with a diagnosis of AIDS within 3 months of diagnosis in the 12 month measurement period

of persons diagnosed with HIV in the 12 month measurement period

Linkage to HIV Medical Care

of persons who attended a routine HIV medical care visit within 3 months of HIV diagnosis

of HIV tests conducted in the 12 month measurement period

ART Among Persons in HIV Medical Care

of persons with an HIV diagnosis who are prescribed ART in the 12 month measurement period

of persons with an HIV diagnosis and who had at least 1 HIV medical care visit in the 12 month measurement period

Viral Load Suppression

of persons with an HIV diagnosis with a viral load <200 copies/mL at last test in the 12-month measurement period

of persons with an HIV diagnosis and who had at least one HIV medical care visit in the 12-month measurement period

Housing Status

of persons with an HIV diagnosis who were homeless or unstably housed in the 12-month measurement period

of persons with an HIV diagnosis receiving HIV services in the last 12 months

In+Care Definitions

Gap Measure

% of patients, regardless of age, with a diagnosis of HIV/AIDS who did not have a medical visit with a provider with prescribing privileges in the last 6 months of the measurement year

Medical Visit Frequency

% of patients, regardless of age, with a diagnosis of HIV/AIDS who had at least one medical visit with a provider with prescribing privileges in each 6-month period of the 24-month measurement period with a minimum of 60 days between medical visits

Patients Newly Enrolled in Medical Care

% of patients, regardless of age, with a diagnosis of HIV/AIDS who were newly enrolled with a medical provider with prescribing privileges who had a medical visit in each of the 4-month periods in the measurement year

Viral Load Suppression

% of patients, regardless of age, with a diagnosis of HIV/AIDS with a viral load less than 200 copies/mL at last viral load test during the measurement year

HAB Measures

CD4 T Cell Count

% of clients with HIV infection who had 2 or more CD4 T cell counts performed in the measurement year

HAART

% of clients with AIDS who are prescribed HAART

Medical Visits

% of clients with HIV infection who had two or more medical visits in an HIV care setting in the measurement year

Cervical Cancer Screening

% of women with HIV infection who have a Pap screening in the measurement year

Hepatitis C Screening

% of clients for whom Hepatitis C (HCV) screening was performed at least once since the diagnosis of HIV infection

Lipid Screening

% of clients with HIV infection on HAART who had a fasting lipid panel during the measurement year

Oral Exam

% of clients with HIV infection who received an oral exam by a dentist at least once during the measurement year

Syphilis Screening

% of adult clients with HIV infection who had a test for syphilis performed within the measurement year

TB Screening

% of clients with HIV infection who received testing with results documented for latent tuberculosis infection (LTBI) since HIV diagnosis

Chlamydia Screening

% of clients with HIV infection at risk for sexually transmitted infections (STIs) who had a test for chlamydia within the measurement year

Gonorrhea Screening

% of clients with HIV infection at risk for sexually transmitted infections (STIs) who had a test for gonorrhea within the measurement year

Hepatitis B Screening

% of clients with HIV infection who have been screened for Hepatitis B virus infection status

HHS Outcomes

HIV Positivity

of HIV + tests in the 12 month measurement period

of HIV tests in the 12 month measurement period

Retention in HIV Medical Care

of PLWH who had at least 1 HIV medical care visit in each 6 month period of the 24 measurement period

of PLWH with at least 1 HIV medical care visit in the first 6 months of the 24 measurement period

Late HIV Diagnosis

of persons with a diagnosis of AIDS within 3 months of diagnosis in the 12 month measurement period

of persons diagnosed with HIV in the 12 month measurement period

Linkage to HIV Medical Care

of persons who attended a routine HIV medical care visit within 3 months of HIV diagnosis

of HIV tests conducted in the 12 month measurement period

ART Among Persons in HIV Medical Care

of persons with an HIV diagnosis who are prescribed ART in the 12 month measurement period

of persons with an HIV diagnosis and who had at least 1 HIV medical care visit in the 12 month measurement period

Viral Load Suppression

of persons with an HIV diagnosis with a viral load <200 copies/mL at last test in the 12-month measurement period

of persons with an HIV diagnosis and who had at least one HIV medical care visit in the 12-month measurement period

Housing Status

of persons with an HIV diagnosis who were homeless or unstably housed in the 12-month measurement period

of persons with an HIV diagnosis receiving HIV services in the last 12 months

In+Care Definitions

Gap Measure

% of patients, regardless of age, with a diagnosis of HIV/AIDS who did not have a medical visit with a provider with prescribing privileges in the last 6 months of the measurement year

Medical Visit Frequency

% of patients, regardless of age, with a diagnosis of HIV/AIDS who had at least one medical visit with a provider with prescribing privileges in each 6-month period of the 24-month measurement period with a minimum of 60 days between medical visits

Patients Newly Enrolled in Medical Care

% of patients, regardless of age, with a diagnosis of HIV/AIDS who were newly enrolled with a medical provider with prescribing privileges who had a medical visit in each of the 4-month periods in the measurement year

Viral Load Suppression

% of patients, regardless of age, with a diagnosis of HIV/AIDS with a viral load less than 200 copies/mL at last viral load test during the measurement year

HAB Measures

CD4 T Cell Count

% of clients with HIV infection who had 2 or more CD4 T cell counts performed in the measurement year

HAART

% of clients with AIDS who are prescribed HAART

Medical Visits

% of clients with HIV infection who had two or more medical visits in an HIV care setting in the measurement year

Cervical Cancer Screening

% of women with HIV infection who have a Pap screening in the measurement year

Hepatitis C Screening

% of clients for whom Hepatitis C (HCV) screening was performed at least once since the diagnosis of HIV infection

Lipid Screening

% of clients with HIV infection on HAART who had a fasting lipid panel during the measurement year

Oral Exam

% of clients with HIV infection who received an oral exam by a dentist at least once during the measurement year

Syphilis Screening

% of adult clients with HIV infection who had a test for syphilis performed within the measurement year

TB Screening

% of clients with HIV infection who received testing with results documented for latent tuberculosis infection (LTBI) since HIV diagnosis

Chlamydia Screening

% of clients with HIV infection at risk for sexually transmitted infections (STIs) who had a test for chlamydia within the measurement year

Gonorrhea Screening

% of clients with HIV infection at risk for sexually transmitted infections (STIs) who had a test for gonorrhea within the measurement year

Hepatitis B Screening

% of clients with HIV infection who have been screened for Hepatitis B virus infection status